



TECHNICAL DATA | GALVANISED STEEL BACKING RING TABLE D

Standards: AS4087
Size Range: 110mm - 1000mm
Materials: Galvanised Steel
Pressure Rating: PN16



Nominal Pipe OD mm	OD mm	ID mm	Thickness mm	PCD mm	Bolt Hole No. x Dia	Bolt Size mm	Code
110	215	128	13	178	4 x 18	M16	BWBRD110
160	280	178	13	235	8 x 18	M16	BWBRD160
180	280	195	13	235	8 x 18	M16	BWBRD180
200	335	235	19	292	8 x 18	M16	BWBRD200
225	335	238	19	292	8 x 18	M16	BWBRD225
250	405	288	19	356	8 x 22	M20	BWBRD250
280	405	294	19	356	8 x 22	M20	BWBRD280
315	455	338	23	406	12 x 22	M20	BWBRD315
450	640	470	30	584	12 x 26	M24	BWBRD450
630	825	645	48	756	16 x 30	M27	BWBRD630
710	910	740	56	845	20 x 30	M27	BWBRD710
1000	1255	1050	66	1175	24 x 36	M33	BWBRD1000

Note:

Installation should always be performed by a licensed operator. As the thicknesses of these flanges differ, it is the responsibility of the licensed installer to check the pressure rating of the flange to be installed, is suitable for the system which it is being used on. Correct installation procedures should always be followed.

The drawings, materials and specifications outlined are subject to change without notice due to the continuous improvements and development of our product range.

FUSION QLD PTY LTD

ABN: 42 987 067 369
13 Vision Court, Noosaville, QLD, 4566
42-44 South Link, Dandenong, VIC, 3175

CONTACT

T: +61 7 5474 3000 (Qld)
T: +61 3 9037 4755 (Vic)
E: sales@fusionqld.com.au
W: fusionqld.com.au


TECHNICAL DATA | GALVANISED STEEL BACKING RING TABLE D

Standards: Compatible with AS4087 and AS2129

Size Range: 315mm x 10" - 450mm x 15"

Materials: Galvanised Steel

Pressure Rating: PN16



Nominal Pipe OD mm x inch	OD mm	ID mm	Thickness mm	PCD mm	Bolt Hole No. x Dia	Bolt Size mm	Code
315mm x 10"	405	318	19	356	8 x 22	M20	BWBRD31510
315mm x 10"	405	308	19	356	12 x 22	M20	BWBRE31510
355mm x 12"	455	361	23	406	12 x 22	M20	BWBRD35512
400mm x 15"	550	406	30	495	12 x 26	M24	BWBRD40015
450mm x 15"	580	455	30	495	12 x 26	M24	BWBRD45015

Note:

Installation should always be performed by a licensed operator. As the thicknesses of these flanges differ, it is the responsibility of the licensed installer to check the pressure rating of the flange to be installed, is suitable for the system which it is being used on. Correct installation procedures should always be followed.

The drawings, materials and specifications outlined are subject to change without notice due to the continuous improvements and development of our product range.

FUSION QLD PTY LTD


ABN: 42 987 067 369
13 Vision Court, Noosaville, QLD, 4566
42-44 South Link, Dandenong, VIC, 3175

CONTACT

T: +61 7 5474 3000 (Qld)
T: +61 3 9037 4755 (Vic)
E: sales@fusionqld.com.au
W: fusionqld.com.au

TECHNICAL DATA | GALVANISED STEEL BACKING RING TABLE E

Standards: AS2129
Size Range: 110mm - 1000mm
Materials: Galvanised Steel
Pressure Rating: PN16



Nominal Pipe OD mm	OD mm	ID mm	Thickness mm	PCD mm	Bolt Hole No. x Dia	Bolt Size mm	Code
110	215	128	13	178	8 x 18	M16	BWBRE110
160	280	178	17	235	8 x 22	M20	BWBRE160
180	280	195	17	235	8 x 22	M20	BWBRE180
200	335	235	19	292	8 x 22	M20	BWBRE200
225	335	238	19	292	8 x 22	M20	BWBRE225
250	405	288	22	356	12 x 22	M20	BWBRE250
280	405	294	22	356	12 x 22	M20	BWBRE280
315	455	346	25	406	12 x 26	M24	BWBRE315
450	640	480	35	584	16 x 26	M24	BWBRE450
560	760	590	44	699	16 x 30	M27	BWBRE560
630	825	645	48	756	16 x 33	M30	BWBRE630
710	910	740	51	845	20 x 33	M30	BWBRE710
1000	1255	1050	67	1175	24 x 39	M36	BWBRE1000

Note:

Installation should always be performed by a licensed operator. As the thicknesses of these flanges differ, it is the responsibility of the licensed installer to check the pressure rating of the flange to be installed, is suitable for the system which it is being used on. Correct installation procedures should always be followed.

The drawings, materials and specifications outlined are subject to change without notice due to the continuous improvements and development of our product range.

FUSION QLD PTY LTD

ABN: 42 987 067 369
13 Vision Court, Noosaville, QLD, 4566
42-44 South Link, Dandenong, VIC, 3175

CONTACT

T: +61 7 5474 3000 (Qld)
T: +61 3 9037 4755 (Vic)
E: sales@fusionqld.com.au
W: fusionqld.com.au